

Groundmaster Tripod

Highly Stable and Torsionally Stiff Heavy Duty Tripods for High Accuracy and Rotating Payload Applications



Main Advantages & Features

- 250kg nominal payload
- Wide working height range
- Rugged durable and easy to use
- Designed for ease and speed of deployment
- Torsionally stiff, ideal for rotating payloads
- Independently adjustable telescopic leg length
- 5/8" 11 UNC drawbolt thread
- Payload mounting holes
- Ground anchor capability (via optional accessory)
- Ground pinning capability (via optional accessory)

The Groundmaster tripod has been designed for heavy duty applications where stability and torsional stiffness of payloads up to 250kg is of primary importance.

In addition to retention by the tripod's draw bolt, payloads can be installed semi-permanently using three fixing holes in the tripod head. Three radial location slots in the tripod head provide additional security for rotating payloads.

The Groundmaster tripod is of high strength aluminium and corrosion resistant steel construction featuring both ground anchor attachment points and a heavy duty cast foot design suitable for pinned and bolt down installations.

Independently adjustable leg length provides a wide operational height range whilst minimising stowed length.

Groundmaster Tripod

Highly Stable and Torsionally Stiff Heavy Duty Tripods for High Accuracy and Rotating Payload Applications

Outline Specification

Construction	Heavy duty aluminium construction with a tough black anodised and paint finish
Temperature range	
-Operational	-33°C to 71°C
-Storage	-46°C to 71°C
Weight	15kg (33lbs)
Min working height	610mm (24")
Max working height	900mm (35.4")
Stowed dimensions	Ø200mm (7.9") x 900mm (35.4")
Nominal payload	250kg (550lbs)
Mechanical interface	3 stud (87.2) PCD interface in conjunction with a 5/8" 11 UNC threaded drawbolt plus three additional mounting holes
Ground pinning	Yes via accessory
Ground anchor	Yes via accessory



instro

Instro Precision Limited

Tel : + 44 (0) 1843 604455 Fax : + 44 (0) 1843 864143

Email : marketing@instro.com Web : www.instro.com